



Pregnant Women Attend Early Antenatal Care & Take Treatment to Prevent Malaria



Pregnant woman sleep inside an insecticide treated mosquito net and take treatment to prevent malaria (IPTp)



Adequate nutrition during pregnancy



Identification of pregnancy danger signs



Developing a birth plan



Spousal communication



Male engagement


Pregnant Women Deliver with a Skilled Birth Attendant at the Health Facility



Skin-to-skin care



Postnatal care check-up



Cord care with Chlorhexidine



Post pregnancy contraception for childbirth spacing



Immunizations at birth



Spousal communication




Early and exclusive breastfeeding




Male engagement

Caregivers Seek Prompt Care for Childhood Illnesses



Child nutrition -
Signs of malnutrition



Signs of acute
respiratory infection



Testing for fever and taking
the correct treatment



Spousal communication



Diarrhea treatment with ORS/Zinc



Male engagement

Men and Women Use Contraceptives to Space Childbirth



Mothers will have adequate time to recover from the difficulties of childbirth before getting pregnant again.



Couples should access post-pregnancy contraception for childbirth spacing




Mothers will be able to continue pursuing their education and career.



Spousal communication



Childbirth spacing options



Male engagement

Families Routinely Consumes Adequate, Diverse and Nutritious Foods




Adequate nutrition during pregnancy



Adequate nutrition for the family



Adequate nutrition for new mother



Spousal communication



Adequate nutrition for infants and young children



Male engagement

Individual and Household Practice Personal and Environmental Hygiene to Prevent the Spread of Infectious Diseases



Hand washing



Environmental sanitation



Water hygiene




ONE HEALTH



Safe distancing



Food hygiene



House with Cross Ventilation



Respiratory hygiene



Vaccination